

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒

DEEPEN ☐

PLUG BACK ☐

b. TYPE OF WELL

OIL
WELL ☒

GAS
WELL ☐

OTHER

2. NAME OF OPERATOR

Texaco Inc. (303) 565-8401

3. ADDRESS OF OPERATOR

P. O. Box EE, Cortez, CO. 81321

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)
At surface

0' FSL and 100' FWL Sec. 7

At proposed prod. zone

Same as surface location

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

7 miles northwest of Montezuma Creek, Utah

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST

PROPERTY OR LEASE LINE, FT.

(Also to nearest drlg. unit line, if any)

100'

18. DISTANCE FROM PROPOSED LOCATION*

TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

525'

16. NO. OF ACRES IN LEASE

16950

19. PROPOSED DEPTH

6030'

17. NO. OF ACRES ASSIGNED

TO THIS WELL

20

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

GL 5022'

22. APPROX. DATE WORK WILL START*

March 15, 1988

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
20"	16"	Conductor	60'	Redi-mix to surface-120 cu.ft.
12 1/4"	9 5/8"	36.0#	600'	Cement to surface-315 cu.ft.
7 7/8"	5 1/2"	15.5#	6030'	Cement to base of 9 5/8" in 2 stages. 1st stage-500 cu.ft. 2nd stage-800 cu.ft.

SEE ATTACHED DRILLING PROGRAM

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

Alan A. Kleier

TITLE

AREA SUPERINTENDENT

DATE Jan. 8, 1988

(This space for Federal or State office use)

PERMIT NO.

43-037-31386

APPROVAL DATE

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

BLM (5), UOGCC (3), Navajo Tribe, Mobil Oil

DATE: 1-15-88
BY: John R. Bays

WELL SPACING: 4615-2-3

*See Instructions On Reverse Side

COMPANY Texaco Inc.

Well Name & No. Aneth Unit Well No. D412I


Lease No. _____

Location 0 feet from South line and 100 feet from West line

Being in San Juan County, Utah

Sec. 7, T.40S., R.24E., S.L.M.

Ground Elevation 5022




Scale -- 4 inches equals 1 mile

Surveyed December 31, 19 87


This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:



Farmington, New Mexico

E. L. Poteet
Registered Professional
Engineer and Land Surveyor.
Utah Surveyor No. 2533



PLAT #3

CONDITIONS OF APPROVAL FOR PERMIT TO DRILL

Company Texaco Inc. Well Name Aneth Unit D412I
Location Sec. 7, T40S, R24E Lease No. SL-0678079
0' FSL and 100' FWL
San Juan County, Utah

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Order No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance.

A. DRILLING PROGRAM

1. Surface Formation and Estimated Formation Tops: Navajo-1000'
Chinle-1800', DeChelly-2900', Hermosa-4850', Ismay 5680',
Desert Creek-5840', Total Depth 6030'.
2. Estimated Depth at Which Oil, Gas, Water or Other Mineral Bearing Zones Are Expected to be Encountered:

	<u>Formation</u>	<u>Depth</u>	<u>(Subsea)</u>
Expected Oil Zones:	Ismay	5680'	(-680)
	Desert Creek	5840'	(-840)
Expected Water Zones:	Navajo	1000'	(+4000)
	DeChelly	2900'	(+2100)

All fresh water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth, cased, and cemented. All oil and gas shows will be tested to determine commercial potential.

3. Pressure Control Equipment: 3000 psi Double Gate Preventer
with 3000 psi annular preventer (See exhibit #1)

BOP systems will be consistent with API RP 53. Pressure tests will be conducted before drilling out from under all casing strings which are set and cemented in place. Blowout preventor controls will be installed prior to drilling the surface casing plug and will remain in use until the well is completed or abandoned. Preventers will be inspected and operated at least daily to ensure good mechanical working order, and this inspection recorded on the daily drilling report.

Texaco Inc.
Aneth Unit D412I
San Juan Co., Utah

Preventers will be pressure tested before drilling casing cement plugs.

4. Casing Program and Auxiliary Equipment: 16" conductor
set at 60' and redi-mix to surface. 9 5/8" 36# K-55 surface
pipe set at 600' and cemented to surface, 5½" 15.5# K-55
production casing set at 6030'. Cemented in two stages to
base of 9 5/8" casing with DV tool set at 4000'.
5. Mud Program and Circulating Medium: Fresh water with gel slugs
to clean holes as necessary from 0 to 1900'. Low solids non-
dispersed (LSND) mud will be used from 1900' to TD. Mud weight
minimum to insure integrity of hole. Viscosity 35-45 WL 10-15.
6. Coring, Logging and Testing Program: No cores or DST's are
planned. Logging program will include a Dual-Induction log
(DIL) and a Gamma Ray Formation Density Caliper-Compensated
Neutron Log (GR-FDC-CNL). Samples will be collected at 10'
intervals from 5000' to TD.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analysis, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. If requested, samples (cuttings, fluids, and/or gases) will be submitted to the District Manager.

7. Abnormal Conditions, Bottom Hole Pressures and Potential Hazards:
Anticipated bottom hole pressure 2800 psi. No abnormal hazards
or drilling conditions are anticipated.

Texaco Inc.
Aneth Unit D412I
San Juan Co., Utah

8. Anticipated Starting Dates and Notifications of Operations:

Anticipated Spud date is March 15, 1988. It is expected to take 18 days to drill the well and 15 days to complete this well. Written notification in the form of a Sundry Notice (Form 3160-5) will be submitted to the District Office within twenty-four (24) hours after spudding. If the spudding occurs on a weekend or holiday, the written report will be submitted on the following regular work day. Texaco will notify the Farmington District Office for the following:

2 days prior to commencement of dirt work, construction or reclamation - A Pre-construction on site shall be arranged by Texaco.

- 1 day prior to spud.
- 1 day prior to running and cementing casing.
- 1 day prior to testing casing and/or BOP's.

In accordance with Onshore Oil and Gas Order No. 1, this well will be reported on Form 9-329 "Monthly Report of Operations", starting with the month in which operations commence each month until the well is physically plugged and abandoned.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported to the Resource Area in accordance with requirements of NTL-3A.

If the well is successfully completed for production, then the District Manager will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than 5 business days following the date on which the well is placed on production.

No well abandonment operations will begin without the prior approval of the District Manager. In the case of newly drilled dry holes or failures, and in emergencies, oral approval will be obtained from the District Petroleum Engineer. A "Subsequent Report of Abandonment" (Form 3160-5), will be filed with the District Manager, within 30 days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration.

Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the Area Manager, or the appropriate surface manager.

Texaco Inc.
Aneth Unit D412I
San Juan Co., Utah

Approval to vent/flare gas during initial well evaluation will be obtained from the District Office. This preliminary approval will not exceed 30 days or 50 MMCF gas. Approval to vent/flare beyond this initial test period will require District Office approval pursuant to guidelines in NTL-4A.

Upon completion of approved plugging, a regulation marker will be erected in accordance with 43 CFR 3162.6. The following information will be permanently beaded-on with a welding torch: Fed, well number, location by $\frac{1}{4}$ section, township and range, lease number. The marker will be at least four (4) feet above ground level and be steel pipe.

A first production conference will be scheduled within 15 days after receipt of the first production notice. The Area Manager will schedule the conference.

B. THIRTEEN POINT SURFACE USE DEVELOPMENT PLAN

1) EXISTING ROADS

To reach the proposed location drive to Montezuma Creek, Utah and turn North on highway 262 approximately $5\frac{1}{2}$ miles to the lease road, proceed south for approximately $\frac{3}{4}$ mile and west into the proposed well location (see Map #1). The existing roads will be maintained in the same manner as they are now.

2) PLANNED ACCESS ROADS

Access road will depart from the existing road as shown on the attached map #1. The road will be approximately 100' long and 18' wide. The access road will enter the proposed location from the east.

3) EXISTING WELLS

Offset wells are shown on map #2 (see attached map).

4) LOCATION OF FACILITIES

Flowline will run Northwest approximately 3000' to existing Battery 13. Powerline will run Northwest approximately 250' to an existing powerline. (See map #2 and map #3). Any production equipment will be painted earthtone to blend into the surrounding terrain.

5) WATER SUPPLY

Water for drilling operations will be trucked from Texaco's pressure maintenance system, a distance approximately 2 miles Southwest of the proposed well. Authorization for use of this water has been granted by the State of Utah through application number A-10458 (09-248), certificate number A-1318.

Texaco Inc.
Aneth Unit D412I
San Juan Co., Utah

6) SOURCE OF CONSTRUCTION MATERIALS

No additional construction materials will be required to build the proposed location. The BLM onsite inspection may dictate any changes in location construction.

7) METHODS FOR HANDLING WASTE DISPOSAL

- a. The drilling cuttings, fluids and completion fluids will be placed in the reserve pit. The reserve pit will be fenced on three sides away from the pad during drilling and the fourth side fenced as soon as the rig moves out. The reserve pit will be allowed to dry, and materials remaining in the reserve pit buried. The reserve pit will be backfilled, leveled and contoured so as to prevent any materials being carried into the watershed. Upon completion the pad will be leveled, contoured and reseeded with the appropriate seed mixture.
- b. All garbage and trash will be placed in a portable trash cage and hauled off to a dump site after drilling operations are completed.
- c. A portable chemical toilet will be provided for drilling personnel during drilling operations (see PLAT #1).

8) ANCILLARY FACILITIES

Camp facilities will not be required. Portable trailers will be on location to house a company drilling foreman and contract toolpusher.

9) WELL SITE LAYOUT

- a. The drilling location will be graded and will be approx. 120' x 200' with a 55' x 125' reserve pit. A cross-section of the drill pad with approximate cuts, fills and pad orientation may be found on plat #2.
- b. The location of mud tanks, reserve pits, pipe racks, trash cage, portable toilet, rig orientation and access road may be found on plat #1.
- c. The reserve pit will be an unlined pit as the natural soil contains bentonite.

10) PLANS FOR RESTORATION OF THE SURFACE

When the well is abandoned, the location and access road will be cleaned and restored to original topographical contours as much as possible. The area will be reseeded with the appropriate seed mixture.

Texaco Inc.
Aneth Unit D412I
San Juan Co., Utah

11) SURFACE OWNERSHIP

The surface ownership is Navajo and is administered by the Bureau of Land Management.

12) OTHER INFORMATION

An archaeological survey will be conducted during the onsite inspection.

Any questions regarding this APD may be directed to Texaco's designated representative:

Mr. Alan A. Kleier
Area Superintendent
P. O. Box EE
Cortez, CO. 81321
(303) 565-8401

13) CERTIFICATION



I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Texaco Inc. and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

1-8-88


Date

Alan A. Kleier

Alan A. Kleier
Area Superintendent



CONTOUR INTERVAL 40 FEET
 DOTTED LINES REPRESENT 20-FOOT CONTOURS
 DATUM IS MEAN SEA LEVEL



ROAD CLASSIFICATION

Medium-duty ——— Light-duty ———

Unimproved dirt = = = = =

○ State Route

MONTUZUMA CREEK, UTAH


1:62,500


MAP #1

1962

AMS 4158 IV-SERIES V797

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
 GEOLOGICAL SURVEY, DENVER, COLORADO 80225 OR WASHINGTON, D. C. 20242
 FOR INFORMATION ON THE AVAILABILITY OF TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST





Hand-drawn site plan of the proposed drill site. The plan shows a rectangular area with various features and dimensions. Key features include: 'Trash cage' at the top center; 'Toilet facilities' at the top right; 'Reserve Pit' on the left side; 'Mud Pits' on the left side; 'Proposed Drillsite' in the center; 'V-door' on the right side; 'Access Road' on the right side; 'Piperacks' at the bottom center. Dimensions are given in feet: 70', 30', 90', 125', 40', 129', 125', 75', 30', 90', 70'. Elevation points are marked: -5.3', -5.3', 5.0', -4.7', -1.8', -0.3', 0.0', -0.4', -0.6', -1.2', -7.0'. A north arrow points towards the top right.


C. F.

REGISTERED LAND SURVEYOR
NO. 2533
R. E. Poteet
STATE OF UTAH

PLAT #1

PLAT #1

Texaco Inc.
Aneth Unit Well No. D4121
0' FSL & 100' FWL Sec. 7-40S-24E
San Juan County, Utah



E. L. Poteet

E. L. Poteet


Utah Surveyor



December 31, 1987

PLAT #2

DRILLING CONTROL CONDITION III-3000 PSI WP



*Where substructure height is adequate, a spool as per the specifications under Condition II will be added at this point and the kill and choke lines will be connected to the spool rather than rams.

To be used:

1. For drilling wells where surface pressures are not anticipated to exceed 3,000 psi.
2. Where local drilling experience indicates a need for an annular preventer.
3. Where only surface pipe is needed to complete drilling operations.

DRILLING CONTROLMATERIAL LIST - CONDITION III

- A Texaco Wellhead
- B 3000# W.P. Dual ram type preventer, hydraulic operated with 1" steel, 3000# W.P. control lines (where sub-structure height is adequate, 2-3000# W.P. single ram preventers may be utilized with 3000# W.P. drilling spool with 2" minimum flanged outlet for kill line and 3" minimum flanged outlet for choke line. The drilling spool is to be installed below the single ram type preventers.)
- C 3000# W.P. Annular Preventer with 1" steel, 3000# W.P. control lines
- D Bell Nipple with flowline and fill-up outlets (kill line may also be used for fill-up line.)
- 1,3,4,
7,8 2" minimum 3000# W.P. flanged full opening steel gate valve, or Halliburton Lo Torc Plug valve
- 2 2" minimum 3000# W.P. back pressure valve
- 5,6,9 3" minimum 3000# W.P. flanged full opening steel gate valve, or Halliburton Lo Torc Plug valve
- 12 3" minimum Schedule 80, Grade B, seamless line pipe
- 13 2" minimum x 3" minimum 3000# W.P. flanged cross
- 10,11 2" minimum 3000# W.P. adjustable choke bodies
- 14 Cameron Mud Gauge or equivalent (location optional in Choke line.)

DRILLING CONTROL

CONDITION III - 3,000 PSI W.P.

Test Pressures

Low Pressure Test - The rams and annular should be tested to a low pressure test of 200 to 300 psi.

Regular Pressure Test - The ram type preventers, valves, lines, choke manifold, kelly joint, kelly cock valves, inside BOP's and safety valves will be tested to a minimum of 1,000 psi. When casing is set below 1,000 feet the above BOP equipment will be tested to a pressure equal to the lesser of either (a) 1 psi per foot of casing or (b) 70% of the minimum internal yield of the casing to which the BOP's are attached. The maximum test pressure allowed will be the rated working pressure of the ram type preventers.

The annular preventer should be pressure tested to the same test pressure as determined above but in no event should it exceed 70% of the rated working pressure of the preventer. Because of special design features, operating pressures for testing will vary for individual packing elements (bags). For this reason, the manufacturer of the annular preventer in use should be consulted regarding testing procedures.

Test Procedure

1. Pull bore protector if installed in well head. Run test plug (see note below) on drill pipe and set in well head. Close annular BOP C. Open valves 3, 4, 5, 6, 7, 8 and 9. (choke valves 10 and 11 should always remain approximately one-half open during drilling and testing). Pump through kill line to insure that kill line, choke line, and choke manifold are open.
2. Close valves 7, 8 and 9. Run low pressure test through drill pipe. Observe annular BOP C for leaks for 3 minutes.
3. Without relieving low test pressure, close pipe rams on BOP B and open annular BOP C. Observe pipe rams on BOP B for leaks for 3 minutes.

DRILLING CONTROL
Condition III

Test Procedure(Continued)

4. Without relieving test pressure, close annular BOP C and open pipe rams on BOP B. Increase pressure in drill pipe to regular test pressure (70% of rated for annular). Observe annular BOP C for leaks for 10 minutes.
5. Without relieving test pressure, close pipe rams on BOP B and open valve 1 and annular BOP C. Increase test pressure to regular test pressure for rams and valves. Observe valves 2, 7, 8 and 9, the pipe rams on BOP B and the test plug in the well head (valve 1) for leaks for 10 minutes.
6. Relieve test pressure. Remove check valve 2 and open valves 7, 8 and 9. Close valves 3 and 6. Run regular pressure test through drill pipe. Observe valves 3 and 6 for leaks for 10 minutes.
7. Without relieving test pressure, close valves 4 and 5. Open valves 3 and 6. Observe valves 4 and 5 for leaks for 10 minutes.
8. Relieve test pressure. Replace check valve 2. Pull drill pipe and close blind rams in BOP C. Open valve 4. Run low pressure test through kill line. Observe blind rams for leak for 3 minutes.
9. Increase pressure in drill pipe to regular test pressure. Observe blind rams for leak for 10 minutes.
10. Relieve test pressure, open blind rams, and return BOP/Choke manifold valves to positions specified for drilling (A., 1., 3.).
11. Run regular pressure test on lower kelly cock from below. Observe for leak for 3 minutes.
12. Close upper kelly cock and open lower kelly cock. Run regular pressure test on upper kelly cock and kelly joint from below. Observe for leaks for 3 minutes.
13. Run regular pressure tests on extra kelly cocks and safety valves. Observe each for leaks for 3 minutes.

DRILLING CONTROL
Condition III

NOTE: The initial BOP pressure test on nipple can be done against the surface casing cement plug before drilling out. Well head valves will be tested only on the initial BOP pressure test. All subsequent pressure tests will utilize a test plug in the well head. The casing head manufacturer should be consulted regarding the appropriate test plug to run.

Also, drilling mud is not to be used for testing. Flush out choke manifold, choke, and kill lines with clean water and use clean water (step 1) for all tests. After testing if freezing weather is possible, drain the choke manifold and choke and kill lines and fill with appropriate fluid which will not freeze such as diesel or salt water. Never leave mud, particularly weighted mud in the choke or kill lines or choke manifold due to possible settling and plugging.

012001

OPERATOR Texaco, Inc. DATE 1-12-88


WELL NAME Aruth Unit D-412I

SEC SW/SW 7 T 40S R 24E COUNTY San Juan


43-037-31386
API NUMBER

Fed.
TYPE OF LEASE

CHECK OFF:




PLAT




BOND



NEAREST
WELL



LEASE



FIELD



POTASH OR
OIL SHALE


PROCESSING COMMENTS:

Unit well -

Need water permit

APPROVAL LETTER:

SPACING:



R615-2-3

Aruth
UNIT



R615-3-2



CAUSE NO. & DATE



R615-3-3

STIPULATIONS:

1-Water

0218T



STATE OF UTAH
NATURAL RESOURCES
Oil, Gas & Mining

Norman H. Bangerter, Governor
Dee C. Hansen, Executive Director
Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

January 15, 1988

Texaco Incorporated
P. O. Box EE
Cortez, Colorado 81321

Gentlemen:

Re: Aneth Unit D412I - SW SW Sec. 7, T. 40S, R. 24E - San Juan County
0' FSL, 100' FWL

Approval to drill the referenced well is hereby granted in accordance with Section 40-6-18, Utah Code Annotated, as amended 1983; and predicated on Rule R615-2-3, Oil and Gas Conservation General Rules, subject to the following stipulations:

1. Prior to commencement of drilling, receipt by the Division of evidence providing assurance of an adequate and approved supply of water as required by Chapter 3, Title 73, Utah Code Annotated.

In addition, the following actions are necessary to fully comply with this approval:


1. Spudding notification to the Division within 24 hours after drilling operations commence.
2. Submittal of an Entity Action Form to the Division within five working days of the time that the well is spudded or a change in operations or interests necessitates a change in entity status.
3. Submittal to the Division of completed Form OGC-8-X, Report of Water Encountered During Drilling.
4. Prompt notification to the Division should you determine that it is necessary to plug and abandon this well. Notify John R. Baza, Petroleum Engineer, (Office) (801) 538-5340, (Home) 298-7695, or R. J. Firth, Associate Director, (Home) 571-6068.

Page 2
Texaco Incorporated
Aneth Unit D412I
January 15, 1988

5. Compliance with the requirements of Rule R615-3-22, Gas Flaring or Venting, Oil and Gas Conservation General Rules.
6. Prior to commencement of the proposed drilling operations, plans for toilet facilities and the disposal of sanitary waste at the drill site shall be submitted to the local health department having jurisdiction. Any such drilling operations and any subsequent well operations must be conducted in accordance with applicable state and local health department regulations. A list of all local health departments and copies of applicable regulations are available from the Division of Environmental Health, Bureau of General Sanitation, telephone (801) 538-6121.
7. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-037-31386.

Sincerely,



R. D. Firth
Associate Director, Oil & Gas

as
Enclosures
cc: Branch of Fluid Minerals
D. R. Nielson
8159T

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on reverse)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug a well to a different formation.
Use "APPLICATION FOR PERMIT..." for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER (Proposed 1/8/88)		DIVISION OF OIL, GAS & MINING	
2. NAME OF OPERATOR Texaco Inc. (303) 565-8401		7. UNIT AGREEMENT NAME Aneth Unit	
3. ADDRESS OF OPERATOR P. O. Box EE, Cortez, CO. 81321		8. FARM OR LEASE NAME Unit	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 0' FSL & 100' FWL Sec. 7		9. WELL NO. D412I	
14. PERMIT NO. 43-037-31386		10. FIELD AND POOL, OR WILDCAT Aneth	
15. ELEVATIONS (Show whether OF, RT, CR, etc.)		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 7, T40S, R24E	
		12. COUNTY OR PARISH San Juan	13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) *	

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Referencing the above subject well, (Proposed to drill 1/8/88), Texaco requests a well name change to E407SW. Please make the necessary changes in your files.

18. I hereby certify that the foregoing is true and correct

SIGNED Alan A. Kleier

TITLE AREA SUPT.

DATE 2/16/88

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY: _____

TITLE _____

DATE _____

BLM (4) - UOGCC (3)-The Navajo Tribe-Mobil Oil-LAA-AAK
*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒

DEEPEN ☐

PLUG BACK ☐

b. TYPE OF WELL

OIL
WELL ☒

GAS
WELL ☐

OTHER

SINGLE
ZONE ☐

MULTIPLE
ZONE ☒

2. NAME OF OPERATOR

Texaco Inc. (303) 565-8401

3. ADDRESS OF OPERATOR

P. O. Box EE, Cortez, CO. 81321

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)
At surface

0' FSL and 100' FWL Sec. 7

At proposed prod. zone

Same as surface location

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

7 miles northwest of Montezuma Creek, Utah

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line, if any)

100'

18. DISTANCE FROM PROPOSED LOCATION*

TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

525'

16. NO. OF ACRES IN LEASE

16950

19. PROPOSED DEPTH

6030'

17. NO. OF ACRES ASSIGNED
TO THIS WELL

20

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

GL 5022'

22. APPROX. DATE WORK WILL START*

March 15, 1988

23.

PROPOSED CASING AND CEMENTING PROGRAM

5. LEASE DESIGNATION AND SERIAL NO.

SL-0678079

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

Unit

9. WELL NO.

D4121 E-407SW

10. FIELD AND POOL, OR WILDCAT

Aneth

11. SEC., T., R., M., OR BLK.
AND SURVEY OR AREA

Sec. 7, T40S, R24E

12. COUNTY OR PARISH

13. STATE

San Juan

Utah

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

Alan A. Kleier

TITLE

AREA SUPERINTENDENT

DATE Jan. 8, 1988

(This space for Federal or State office use)

PERMIT NO.

43-037-31386

APPROVAL DATE

ACTING

DISTRICT MANAGER

NOV 01 1988

APPROVED BY

/s/ Kenneth V. Rhea

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

DECLARING OR VENTING OF
GAS SUBJECT TO NOTICE (3), Navajo Tribe, Mobil Oil, AAK
DATED 1/1/80

*See Instructions On Reverse Side

COMPANY Texaco Inc.

Well Name & No. Aneth Unit Well No. D4121


Lease No. _____

Location 0 feet from South line and 100 feet from West line

Being in San Juan County, Utah

Sec. 7, T.40S., R.24E., S.L.M.

Ground Elevation 5022




Scale -- 4 inches equals 1 mile

Surveyed _____

December 31, 19 87


This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:



Farmington, New Mexico

Registered Professional
Engineer and Land Surveyor
Utah Surveyor No. 2533



PLAT #3

Texaco Inc.
Well No. Aneth Unit E-407SW
Sec. 7, T. 40 S., R. 24 E.
San Juan County, Utah
Lease SL-067807

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Texaco, Inc., is considered to be the operator of the above well, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by Bond No. KG 301505 (Principal - Texaco Inc.) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

B. SURFACE USE PLAN

The attached surface use stipulations developed by Bureau of Indian Affairs (BIA) during onsite inspection of 2/17/88.

If subsurface archaeology is discovered during construction, work will cease and the BIA Area Director (Attn: Area Archaeologist) in Window Rock will be contacted.

Bureau of Indian Affairs
Surface Management Stipulations
To Be Included in APD

Company Texaco Inc.
Well# E 407 SW
Date of Inspection 2-17-88
Provided by Cornett



STIPULATIONS CHECKED
APPLY

1. All above ground structures and equipment will be painted with the following non-glare color.

<u> </u> Brown	Fed. Standard	<u> </u> 595a - 30318
<u> </u> Green	Fed. Standard	<u> </u> 595a - 34127
<u> </u> Gray	Fed. Standard	<u> </u> 595a - 36357
<u>X</u> Sand	Fed. Standard	<u> </u> 595a - 30277
<u> </u> Mobil Beige 12-F-38		

2. Compacted areas will be plowed or ripped to a depth of 12 to 16 inches before reseeding. Seed will be drilled to a depth of .5 to .75 inch or broadcast and followed by a drag or packer. If broadcast, the recommended seed mix will be applied at 150% of the recommended rate. The following seed mix will be used.

<u>SPECIES</u>	<u>lbs./acre/PLS</u>
Crested Wheatgrass.....	<u> </u>
Slender Wheatgrass	<u> </u>
Smooth Brome	<u> </u>
Orchardgrass	<u> </u>
Yellow Sweetclover	<u> </u>
Sainfoin	<u> </u>
Western Wheatgrass	<u> </u>
Sand Dropseed	<u> </u>
Alkali Sacaton	<u>2 16/acre</u>
Indian Ricegrass	<u> </u>
Galleta	<u>3 16/acre</u>
Needle-N-Thread	<u> </u>
Squirrel tail	<u> </u>
Side Oats Grama	<u> </u>
Four-Wing Saltbush.....	<u>2 16/acre</u>
Shadscale	<u>2 16/acre</u>
Cliffrose	<u> </u>
Antelope Bitterbrush	<u> </u>
Timothy	<u> </u>
Winter-Fat	<u> </u>

(Purity x Germination = PLS)

3. NA The top inches of soil will be salvaged, stockpiled, and stabilized on the side/corner of the well pad and/or in the "L" corner of the well pad and reserve pit for use in revegetating the site.
4. NA Upon abandonment, the well pad will be fenced with a standard five-strand barb wire fence, or equivalent and will have no gates. The fence will be maintained for two years to allow for seeding establishment and will then be removed.

5. NA Access roads not needed for through traffic will be barricaded and reseeded in accordance with #2. Water bars will be constructed to the following specifications.

<u>% Slope</u>	<u>Slope Distance</u>
Less than 1%	300 feet
1% - 5%	200 feet
5% - 15%	100 feet
Greater than 15%	50 feet

6. NA An earthen berm (____ inches/feet high) will be constructed around the perimeter of the well pad, except on the high/cut side of the well pad.
7. ☒ The reserve pit will be lined to prevent seepage from occurring.
8. NA The reserve pit will be constructed long and narrow (____ x ____ feet) so that the pit can be accommodated and any potential hazards reduced or eliminated.
9. NA Immediately following drilling, the fluids of the reserve pit will be pumped and disposed of per BLM instructions. A sundry notice for this action is required by BLM.
10. NA Diversion ditch (es) will be constructed on the ____ side of the well pad above/below (circle one) the cut slope diverting any runoff to the ____.
11. NA The wash (es) will be diverted around the ____ side of the well pad.
12. NA Culvert(s) of sufficient size will be placed on all drainage crossings of the access road determined necessary during the on-site inspection. _____
13. NA No production flowlines nor gas sales lines will be constructed until their right-of-ways/easements are inspected and approved by the surface management agency.
14. ☒ Any flowline (s) (surface/subsurface) will be constructed paralleling new and existing road right-of-ways, except _____.
15. NA The top ____ inches of soil of any subsurface flowline constructed will be rolled/scraped to one side of the bladed line and will be disturbed as little as possible during the actual construction. Immediately following installation, the roll of topsoil salvaged will be redistributed over the bladed line and will be reseeded in accordance with item# 2. In addition to this, all areas disturbed (including the replaced topsoil) will be imprinted with a land imprinter or sheep's foot type roller to create a pattern of small depressions to enhance vegetative regrowth. All drainages crossed by these line (s) will be restored, as near as possible, to their original form. Water bars will be constructed in accordance with item# 5.
16. NA Fence (s) crossed by the access road will be braced and tied off before cutting of the wires to prevent slackening of the fencelines. Both a gate and cattleguard which must be BIA approved will be installed.

NOTIFICATIONS

Notify the San Juan Resource Area, at (801) 587-2144 for the following:

2 days prior to commencement of dirt work, construction or reclamation;

1 day prior to spudding;

Notify the Moab District Office, Branch of Fluid Minerals at (801) 259-6111 for the following:

No well abandonment operations will be commenced without the prior approval of the District Manager. In the case of newly drilled dry holes, and in emergency situations, verbal approval can be obtained by calling the following individuals, in the order listed:

Dale Manchester, Petroleum Engineer Office Phone: (801) 259-6111

Home Phone: (801) 259-6239

Lynn Jackson, Chief, Branch of Fluid Minerals

Office Phone: (801) 259-6111

Home Phone: (801) 259-7990

Paul Brown, I&E Coordinator

Office Phone: (801) 259-6111

Home Phone: (801) 259-7018

24 hours advance notice is required for all abandonments.



UTAH DIVISION OF
OIL, GAS & MINING

RECEIVED
FEB 21 1989

TEXACO INC.
P. O. Box EE
Cortez, CO 81321
February 21, 1989

Mr. R. J. Firth
Associate Director
Utah Oil & Gas Conservation Commission
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180

Subject: Drilling Permit Extensions
Aneth Unit
San Juan County, Utah

Dear Mr. Firth:

As per our phone conversation this date, Texaco Inc. requests a six (6) month extension to the following approved drilling permits. Approved in early 1988 by the State of Utah, Federal (BIA) approval was not obtained until August - December, 1988. Due to budget restrictions, the ten (10) proposed wells could not be drilled in late 1988. Texaco Inc. has now released six (6) wells to be drilled in late Spring, 1989. Your consideration and approval of Texaco's extension would be appreciated and would prevent the repermitting of some of these proposed wells.

Wells

Dated approved by State of Utah

Approval extended to

13-037-31383	Aneth Unit D213SE	1-7-88	May 27, 1988	7-7-89
13-037-31382	Aneth Unit D113SE*		January 7, 1988	7-7-89
13-037-31385	Aneth Unit E218SE	1-7-88	May 27, 1988	7-7-89
3-037-31381	Aneth Unit H314X	12-28-87	December 28, 1988	6-28-89
3-037-31386	Aneth Unit E407SW*		January 15, 1988	7-15-89
3-037-31408	Aneth Unit G315X		April 15, 1988	10-15-89
3-037-31409	Aneth Unit H116*		April 15, 1988	10-15-89
3-037-31398	Aneth Unit F415*		March 21, 1988	9-21-89
13-037-31396	Aneth Unit E115*		March 21, 1988	9-21-89
13-037-31397	Aneth Unit F215*		March 21, 1988	9-21-89

* Currently approved to drill, bidding drilling contractor.

Alan A. Kleier
Alan A. Kleier

AAK/11b

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

DATE: 2-21-89
BY: *John R. Byrnes*

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLY
(Other instructions
verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☒ CAR WELL ☐ OTHER ☐

2. NAME OF OPERATOR
TEXACO Inc. (303) 565-8401

3. ADDRESS OF OPERATOR
P. O. Box EE, Cortez, CO 81321

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface

0' FSL and 100' FWL Sec. 7

14. PERMIT NO.
42-037-31386

16. ELEVATIONS (Show whether DF, RT, CR, etc.)
GL 5022'

RECEIVED
MAR 06 1989
DIVISION OF
OIL, GAS & MINING

5. LEASE DESIGNATION AND SERIAL NO.
SL - 067807

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Aneth Unit

8. FARM OR LEASE NAME
Unit

9. WELL NO.
E-407SW

10. FIELD AND POOL, OR WILDCAT
Aneth

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 7, T40S, R24E

12. COUNTY OR PARISH
San Juan

13. STATE
Utah

18. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐ PULL OR ALTER CASING ☐
FRACTURE TREAT ☐ MULTIPLE COMPLETE ☐
SHOOT OR ACIDIZE ☐ ABANDON* ☐
REPAIR WELL ☐ CHANGE PLANS ☒

WATER SHUT-OFF ☐ REPAIRING WELL ☐
FRACTURE TREATMENT ☐ ALTERING CASING ☐
SHOOTING OR ACIDIZING ☐ ABANDONMENT* ☐
(Other) ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

The above referenced well has not been spudded. Texaco plans to commence work on this location in the near future. The recent discovery of a high pressure water line through location forces this request of location change from 0' FSL and 100' FWL to 0' FSL and 70' FWL. Henry Swartzlander with Texaco recieved verbal permission for this change @3:50PM on 3-1-89 From Dave Manchester. All new ground consumed by the location has been cleared in the original archeological clearance. Please advise of any questions.

18. I hereby certify that the foregoing is true and correct

SIGNED Alan A. Kleier

TITLE Area Manager

DATE 3-3-89

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

ACCEPTED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

DATE: 3-13-89

*See Instructions on Reverse

Federal approval of this action
is required before commencing
operations.

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false statement or fraudulent representation or claim.

BLM(5) UOGCC(3) Navajo Tribe-Mobil Oil-AAK

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

API NO. 43-037-31386

NAME OF COMPANY: TEXACO INC.

WELL NAME: E. 407 SW

SECTION SWSW 7 TOWNSHIP 40S RANGE 24E COUNTY SAN JUAN

DRILLING CONTRACTOR AZTEC

RIG # 301

SPUDDED: DATE 3/22/89

TIME 4:00 p.m.

How ROTARY

DRILLING WILL COMMENCE 3/22/89

REPORTED BY DAVE BORGE

TELEPHONE 801-651-3277 - 303-665-8401

DATE 3/23/89 SIGNED TAS TAKEN BY: JLT

ENTITY ACTION FORM - DOGM FORM 6

RECEIVED
MAR 30 1989

OPERATOR TEXACO INC.
ADDRESS P.O. Box EE
Cortez, Colorado 81321

OPERATOR CODE N0980
PHONE NO. 303, 565-8401

DIVISION OF
OIL, GAS & MINING
OPERATORS MUST COMPLETE FORM UPON SPUDDING NEW WELL OR WHEN CHANGE IN OPERATIONS OR INTERESTS NECESSITATES CHANGE IN EXISTING ENTITY NUMBER ASSIGNMENT.

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
B	07000		43-037-31398	Aneth Unit F415	SESW	15	40S	24E	San Juan	3-17-89	3-01-89
COMMENTS: <i>Lease-Indian Field-Greater Aneth Unit-Aneth Proposed Zone- DSCR Unit has no P.A.'s Assign entity 07000 on 4-5-89. fcl</i>											
B	07000		43-037-31386	Aneth Unit E407SW	SWSW	7	40S	24E	San Juan	3-22-89	3-01-89
COMMENTS: <i>Lease-state Field-Greater Aneth Unit-Aneth Proposed Zone- DSCR Unit has no P.A.'s Assign entity 7000 on 4-5-89. fcl</i>											
COMMENTS:											
COMMENTS:											
COMMENTS:											

ACTION CODES: A - ESTABLISH NEW ENTITY FOR NEW WELL
B - ADD NEW WELL TO EXISTING ENTITY
C - RE-ASSIGN WELL FROM ONE EXISTING ENTITY TO ANOTHER EXISTING ENTITY
D - RE-ASSIGN WELL FROM ONE EXISTING ENTITY TO A NEW ENTITY
E - OTHER (EXPLAIN IN COMMENTS SECTION)
(SEE INSTRUCTIONS ON BACK OF FORM)

SIGNED: A. A. KLEIER */LB*
SIGNATURE
Area Manager
TITLE
3-27-89
DATE

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

6. LEASE DESIGNATION AND SERIAL NO.

SL-067807

8. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

Unit

9. WELL NO.

E407SW

10. FIELD AND POOL, OR WILDCAT

Aneth

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec 7, T40S - R24E

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

TEXACO INC.

(303) 565-8401

3. ADDRESS OF OPERATOR

P.O. Box EE

Cortez, Colorado 81321

4. LOCATION OF WELL (Report location clearly and in accordance with instructions on reverse side.
See also space 17 below.)
At surface

0' FSL and 70' FWL Sec 7

RECEIVED
MAY 01 1989

14. PERMIT NO.

43-037-31386

15. ELEVATIONS (Show whether depth or surface)
DIVISION OF

GL 5022' OIL, GAS & MINING

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANE

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

Date of first production

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

X

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

7. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

The subject well swab tested 11 bbls oil and 120 bbls load fluid from Desert Creek perforations 5944' - 5972' on April 14, 1989. This interval will be commingled with additional uphole potential upon completion. Oil production will be sold at the Aneth Unit's Battery 13.

I hereby certify that the foregoing is true and correct

SIGNED

Alan A. Kleier

TITLE: Area Manager

DATE

April 27, 1989

This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

BLM-Farmington (6), UOGCC (4), LAA, AAK

*See Instructions on Reverse Side

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTSee other instructions on
reverse side

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other _____
 1b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other _____

2. NAME OF OPERATOR

TEXACO INC.

(303) 565-8401

3. ADDRESS OF OPERATOR

P.O. Box EE

Cortez, Colorado 81301

4. LOCATION OF WELL (Report location clearly and in accordance with State requirements)

At surface

0' FSL and 70' FWL Sec 7

At top prod. interval reported below

At total depth Same as above

Same as above

14. PERMIT NO.

43-037-31386

DIVISION OF

OIL, GAS & MINING

DATE ISSUED

MAY 15 1989

5. LEASE DESIGNATION AND SERIAL NO.

SL-067807

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

Unit

9. WELL NO.

E407SW

10. FIELD AND POOL, OR WILDCAT

Aneth

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Sec 7, T40S-R24E

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

15. DATE SPUDDED

3-22-89

16. DATE T.D. REACHED

4-3-89

17. DATE COMPL. (Ready to prod.)

5-3-89

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*

KB 5035'

19. ELEV. CASINGHEAD

5022'

20. TOTAL DEPTH, MD & TVD

6099'

21. PLUG. BACK T.D., MD & TVD

PBSD 5977'

22. IF MULTIPLE COMPL., HOW MANY*

23. INTERVALS DRILLED BY

ROTARY TOOLS

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

Desert Creek 5860' top - 6040' btm.

25. WAS DIRECTIONAL SURVEY MADE

no

26. TYPE ELECTRIC AND OTHER LOGS RUN

DLL-MSFL, GR-FDC-CNL, GR-EPT, GR-CBL-CET

Electro-Magnetic Propagation

27. WAS WELL CORED

no

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	24	626'	12 1/4"	450 sx class 'G'	cmt to surfac
5 1/2"	15 1/2	6099'	7 7/8"	1st stg-475 sx lite/	cmt to surfac
				300 sx class 'G', 2nd stg	
				575 sx lite/200sx class 'G'	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	30. TUBING RECORD
		None			SIZE
					DEPTH SET (MD)
					PACKER SET (MD)
					2 7/8"
					5843'

31. PERFORATION RECORD (Interval, size and number)

Desert Creek
5983-97, 5944-72, 5930-33, 5906-27,
5889-5900 with 4 jpf

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
5983-97	1500 gal 15% HCL
5944-72	2800 gal 15% HCL
5930-33, 5906-27	
5889-5900	3500 gal 15% HCL

33.* PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)					WELL STATUS (Producing or shut-in)	
4-14-89		Pumping - 2" insert					Producing	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO	
5-3-89	24	---	→	124	170	140	1371	
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)		
---	---	→	124	170	142	39.4		
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)								

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Sold

TEST WITNESSED BY

35. LIST OF ATTACHMENTS

Formation Tops

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

Alan A. Klein

TITLE Area Manager

DATE May 9, 1989

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

BLM-Farm (6), UOGCC (4), LAA, DAK

ANETH UNIT E-407SW - FORMATION TOPS

<u>ZONE</u>	<u>TOP</u>	<u>SUBSEA</u>
Navajo	980'	+4055'
Chinle	1535'	+3500'
DeChelly	2950'	+2085'
Hermosa	4890'	+ 145'
Ismay	5710'	- 675'
Desert Creek	5860'	- 825'
Desert Creek Base	6040'	-1005'

KB = 5035'

DATE: 05/02/91

WELLS BY OPERATOR

PAGE: 95

ACCT NUM	COMPANY NAME	FLD NUM	FIELD NAME	TOWN SHIP	RANGE	SEC	QTR QTR	API NUMBER	PROD ZONE	WELL STATUS	ENTITY	WELL NAME
NO980	TEXACO INC	365	GREATER ANETH	S400	E240	14	NESE	4303731381	DSCR	WIW	7000	ANETH UNIT H314X
				S400	E240	18	NWSW	4303731385	DSCR	POW	7000	ANETH UNIT E218SE
				S400	E240	7	SESW	4303731384		LA	99998	ANETH UNIT E407SE
				S400	E230	13	NESE	4303731383	DSCR	POW	7000	ANETH UNIT D213SE
				S400	E230	13	SENE	4303731382	DSCR	POW	7000	ANETH UNIT D-113SE
				S400	E240	7	SWSW	4303731386	DSCR	POW	7000	ANETH UNIT E407SW
				S400	E240	15	SESW	4303731398	DSCR	POW	7000	ANETH UNIT F415
				S400	E240	15	SENE	4303731397	IS-DC	POW	7000	ANETH UNIT F215
				S400	E240	15	NWNW	4303731396	IS-DC	POW	7000	ANETH UNIT E115
				S400	E240	15	NWSE	4303731408	DSCR	POW	7000	ANETH UNIT G315X
				S400	E240	16	NENE	4303731409	IS-DC	POW	7000	ANETH UNIT H116
				S400	E240	21	NWNE	4303716093	IS-DC	PA	99998	NAVAJO TRIBE D-5X (ANETH
				S400	E250	19	SESW	4303716136	DSCR	PA	99998	NAVAJO F-15 (ANETH K-419)
				S400	E230	11	SWSE	4303716034	DSCR	WIW	99996	MESA 1 (ANETH C414)
				S400	E240	21	SWNE	4303730516	ISMY	POW	7000	ANETH U G221X
				S140	E090	19	C-SE	4300730117	FRSD	TA	10921	PINNACLE PEAK UNIT 2
				S410	E260	4	NESW	4303720048	DSCR	PA	99998	NAVAJO TRIBE "AC" #8
				S410	E260	4	SWNE	4303720077		PA	99998	NAVAJO TRIBE "AC" #9
				S410	E260	4	SWSW	4303720099	ISMY	PA	99998	NAVAJO TRIBE "AC" #11
				S410	E260	4	SWSE	4303720162	ISMY	PA	99998	NAVAJO TRIBE "AC" #12
				S140	E080	33	SENE	4300730118	FRSD	PA	10922	STATE OF UTAH 'S' #1
				S400	E240	23	NWSW	4303716068	IS-DC	WIW	99990	NAVAJO TRIBE C-12 (ANETH
				S400	E240	7	SWNE	4303716308	IS-DC	PA	99996	GULF-FED 6 ANETH G207
				S400	E240	17	NWSW	4303716062	DSCR	WIW	99996	NAVAJO TRIBAL G-7 (ANETH
				S430	E210	19	NENW	4303711253	LDLL	PA	99998	NAVAJO TRIBE "AE" #1
				S430	E210	19	NENW	4303711253	PENN	PA	99998	NAVAJO TRIBE "AE" #1
				S430	E210	19	NENW	4303711253	DVNN	PA	99998	NAVAJO TRIBE "AE" #1
				S400	E240	17	NWNW	4303716049	DSCR	WIW	99996	ANETH UNIT E-117
				S400	E240	14	NESE	4303716321	PRDX	PA	99998	NAVAJO A-3/43-14 (ANETH H
				S400	E250	29	SENE	4303716334	DSCR	PA	99996	NAVAJO F-14
				NO20	E120	11	SESW	4304330292		PA	10953	STEEL CREEK NO. 1
				S400	E260	20	NESE	4303716193	ISMY	PA	99998	NAVAJO TRIBE J-3 (V-320)
				S400	E260	22	NESW	4303716179	ISMY	WIW	99990	NAVAJO J-21 (T-322)
				S400	E260	34	NENW	4303716178	ISMY	WIW	99990	NAV TR "AC" #1 ISMY FLODI
				S400	E260	20	NENW	4303716459	ISMY	PA	99998	NAVAJO TRIBE J-8 (T-120)
				S400	E260	20	SWNE	4303716465	ISMY	WIW	99990	NAVAJO TRIBE J-9 (U-220)
				S400	E230	14	SWNE	4303716033	PRDX	WIW	99990	ARROWHEAD #3 (ANETH C-214
				S400	E230	14	NESW	4303716273	PRDX	WIW	99990	ARROWHEAD 2 (ANETH B-314)
				S400	E230	14	SWSE	4303716035	PRDX	WIW	99990	ARROWHEAD 5 (ANETH C-414)
				S400	E230	14	NENE	4303716277	PRDX	WIW	99990	ARROWHEAD 1 (ANETH D-114)
				S400	E230	14	NESE	4303716038	PRDX	WIW	99990	ARROWHEAD #4 (ANETH D-314)
				S400	E230	23	SWNE	4303716276	PRDX	WIW	99990	A.W. RICE 3 (ANETH C-223)
				S400	E230	23	NENW	4303716271	PRDX	WIW	99990	A.W. RICE 2 (ANETH B-123)
				S400	E230	24	NWNW	4303716270	PRDX	WIW	99990	FEDERAL A-1 (ANETH A-124)
				S400	E230	24	NWNE	4303716275	PRDX	WIW	99990	FEDERAL 1 (ANETH C-124)
				S400	E240	24	SESW	4303716087	PRDX	WIW	99990	NAVAJO TRIBE C-13 (ANETH
				S400	E240	7	SENE	4303715414	PRDX	WIW	99990	GULF-AZTEC FED. 4 (ANETH



Texaco Exploration and Production Inc
Midland Producing Division

P O Box 3109
Midland TX 79702-3109

May 22, 1991

RECEIVED

MAY 28 1991

DIVISION OF
OIL GAS & MINING

Division of Oil, Gas, and Mining
Attn: Ms. Lisha Romero
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Gentlemen:

This is to advise that as a part of a reorganization of Texaco Inc., a Delaware corporation, the name of Texaco Producing Inc., a Delaware corporation and wholly owned subsidiary of Texaco Inc., has been changed to Texaco Exploration and Production Inc. Further, Texaco Exploration and Production Inc. will succeed to the rights, titles, interests and obligations of Texaco Inc.

This means that Texaco Exploration and Production Inc. will be the operator for all the oil and gas properties that were operated by Texaco Inc. and Texaco Producing Inc. We plan to abbreviate the name as Texaco E & P Inc. for purposes of submitting production reports, etc., via computer, and we suggest that for consistency you use that abbreviation also.

We have enclosed a Sundry Notice with a list of the wells which Texaco operates in Utah. Also attached is UIC Form 5 for transfer of injection authority. Please note that Texaco has two Divisions which operate wells in Utah. One is located in Denver, Colorado, and the other is in Midland, Texas. We have enclosed separate Sundry Notices and lists of wells for each Division. If you have questions concerning the Denver-operated wells, please call Roger Hadley at (303) 793-4833. If you have questions concerning the Midland-operated wells, please call Ken Miller at (915) 688-4834.

Please change any of your other records as necessary to reflect this change.

Yours very truly,

R. S. Lane
Assistant Division Manager

RKH/KMM-CC

Attachments

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT— for such proposals

6. Lease Designation and Serial Number	
7. Indian Allottee or Tribe Name	
8. Unit or Communitization Agreement	
9. Well Name and Number	
10. API Well Number	
11. Field and Pool, or Wildcat	
1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other (specify)	
2. Name of Operator Texaco Exploration and Production Inc.	
3. Address of Operator 3300 North Butler, Farmington, NM 87401	4. Telephone Number (505) 325-4397
5. Location of Well Footage : _____ County : _____ QQ, Sec. T., R., M. : See Attached State : UTAH	

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA																											
<p style="text-align: center;">NOTICE OF INTENT (Submit in Duplicate)</p> <table style="width: 100%;"> <tr> <td><input type="checkbox"/> Abandonment</td> <td><input type="checkbox"/> New Construction</td> </tr> <tr> <td><input type="checkbox"/> Casing Repair</td> <td><input type="checkbox"/> Pull or Alter Casing</td> </tr> <tr> <td><input type="checkbox"/> Change of Plans</td> <td><input type="checkbox"/> Recompletion</td> </tr> <tr> <td><input type="checkbox"/> Conversion to Injection</td> <td><input type="checkbox"/> Shoot or Acidize</td> </tr> <tr> <td><input type="checkbox"/> Fracture Treat</td> <td><input type="checkbox"/> Vent or Flare</td> </tr> <tr> <td><input type="checkbox"/> Multiple Completion</td> <td><input type="checkbox"/> Water Shut-Off</td> </tr> <tr> <td colspan="2"><input checked="" type="checkbox"/> Other <u>Transfer of Plugging Bond</u></td> </tr> </table> <p>Approximate Date Work Will Start _____</p>	<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing	<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion	<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare	<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off	<input checked="" type="checkbox"/> Other <u>Transfer of Plugging Bond</u>		<p style="text-align: center;">SUBSEQUENT REPORT (Submit Original Form Only)</p> <table style="width: 100%;"> <tr> <td><input type="checkbox"/> Abandonment *</td> <td><input type="checkbox"/> New Construction</td> </tr> <tr> <td><input type="checkbox"/> Casing Repair</td> <td><input type="checkbox"/> Pull or Alter Casing</td> </tr> <tr> <td><input type="checkbox"/> Change of Plans</td> <td><input type="checkbox"/> Shoot or Acidize</td> </tr> <tr> <td><input type="checkbox"/> Conversion to Injection</td> <td><input type="checkbox"/> Vent or Flare</td> </tr> <tr> <td><input type="checkbox"/> Fracture Treat</td> <td><input type="checkbox"/> Water Shut-Off</td> </tr> <tr> <td colspan="2"><input checked="" type="checkbox"/> Other <u>Change of Operator/Operator Name</u></td> </tr> </table> <p>Date of Work Completion _____</p> <p><small>Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form. * Must be accompanied by a cement verification report.</small></p>	<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing	<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize	<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off	<input checked="" type="checkbox"/> Other <u>Change of Operator/Operator Name</u>	
<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction																										
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing																										
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion																										
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize																										
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare																										
<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off																										
<input checked="" type="checkbox"/> Other <u>Transfer of Plugging Bond</u>																											
<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction																										
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing																										
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize																										
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare																										
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off																										
<input checked="" type="checkbox"/> Other <u>Change of Operator/Operator Name</u>																											

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

This submittal is for a change of operator (name change) for all of the attached wells. The new operator, Texaco Exploration and Production Inc., hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Department for proper plugging and surface restoration of the attached wells. All contact personnel, office addresses and phone numbers will remain the same.

FORMER OPERATOR: TEXACO INC.

NEW OPERATOR: TEXACO EXPLORATION AND PRODUCTION INC.

SIGNED: *R. D. Lane*
Attorney-in-Fact

SIGNED: *R. D. Lane*
Assistant Division Manager

DATE: _____

DATE: _____

14. I hereby certify that the foregoing is true and correct

Name & Signature _____

Title Asst. Div. Manager Date _____

(State Use Only)

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUBMIT IN TRIPLED COPY
(Instructions on reverse side)

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO.
2. NAME OF OPERATOR Texaco Exploration and Production Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P.O. Box 46510, Denver, CO 80201		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface		8. FARM OR LEASE NAME
10. FIELD AND POOL, OR WILDCAT		9. WELL NO.
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA		12. COUNTY OR PARISH
13. ELEVATIONS (Show whether OF, AT, OR, etc.)		12. STATE

DIVISION OF
OIL GAS & MINING

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) Transfer of Plugging Bond <input checked="" type="checkbox"/>	

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) Transfer of Owner/Operator <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log (form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Texaco Inc. has assigned all its ownership rights in the subject well. As of January 1, 1991, Texaco Inc. is no longer the Operator of subject well. The New Operator Texaco Exploration and Production Inc. hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Commission for proper plugging and surface restoration of the subject well.

Former Operator:

TEXACO INC.

Signed:

Attorney-In-Fact
for Texaco Inc.

Date:

3/1/91

New Operator:

Texaco Exploration and Production Inc.

Signed:

Title: Division Manager

Date:

3/1/91

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Division Manager

DATE

3/1/91

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Routing:

1- LCR/GIL	✓
2- DTS/DTS	✓
3- VLC	✓
4- RJF	✓
5- RWM	✓
6- LCR	✓

Attach all documentation received by the division regarding this change.
Initial each listed item when completed. Write N/A if item is not applicable.

☐ Change of Operator (well sold) ☐ Designation of Agent
☐ Designation of Operator ☒ Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 1-1-91)

(TEXACO EXPLORATION AND PRODUCTION INC.)

TO (new operator)	<u>TEXACO E & P INC.</u>	FROM (former operator)	<u>TEXACO INC.</u>
(address)	<u>3300 NORTH BUTLER</u>	(address)	<u>3300 NORTH BUTLER</u>
	<u>FARMINGTON, NM 87401</u>		<u>FARMINGTON, NM 87401</u>
	<u>BRENT HELQUIST</u>		<u>FRANK</u>
	phone <u>(505) 325-4397</u>		phone <u>(505) 325-4397</u>
	account no. <u>N 5700 (6-5-91)</u>		account no. <u>N 0980</u>

Well(s) (attach additional page if needed):

Name: <u>(SEE ATTACHED)</u>	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- See 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (5-28-91)
- N/A 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
- See 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes) no ____ If yes, show company file number: #114097.
- See 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
- See 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (6-11-91)
- See 6. Cardex file has been updated for each well listed above.
- See 7. Well file labels have been updated for each well listed above. (will update when filing)
- See 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission.
- See 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond. #K0290791-4 80,000-Ins. Co. of N. America rec. 2-11-91.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) yes. Today's date _____ 19____. If yes, division response was made by letter dated _____ 19____. #m157448 80,000-Ins. Co. of N. America

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated _____ 19____, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
2. Copies of documents have been sent to State Lands for changes involving State leases. 6-27-91

MICROFILMING

1. All attachments to this form have been microfilmed. Date: July 15 1991.

FILED

1. Copies of all attachments to this form have been filed in each well file.
2. The original of this form and the original attachments have been filed in the Operator Change file.

REMARKS

- 910606 Btm/Farmington N.M. - Duane Spencer (505) 327-5344 will follow up & call back.
- 910607 Btm/Farmington - Approved 4-2-91 "Company Merger" Includes Aneth Unit and Ismay Flodine Unit.
- 910607 St. Lands approved 4-15-91 "Merger".

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT -" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well: ☒ OIL WELL ☐ GAS WELL ☐ OTHER

2. Name of Operator
TEXACO EXPLORATION & PRODUCTION, INC.

3. Address and Telephone No.
3300 N. Butler Ave., Suite 100 Farmington NM 87401 325-4397

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Unit Letter M : 0 Feet From The SOUTH Line and 70 Feet From The
WEST Line Section 7 Township T40S Range R24E

5. Lease Designation and Serial No.
SL-067807

6. If Indian, Alottee or Tribe Name
NAVAJO TRIBE

7. If Unit or CA, Agreement Designation
ANETH UNIT

8. Well Name and Number
ANETH UNIT
E407SW

9. API Well No.
4303731386

10. Field and Pool, Exploratory Area
DESERT CREEK

11. County or Parish, State
SAN JUAN, UTAH

12. Check Appropriate Box(s) To Indicate Nature of Notice, Report, or Other Data

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ OTHER: CLEAN OUT & ACIDIZE
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water


(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

***** THIS SUNDRY REPORT IS FOR UTAH SEVERANCE TAX CALCULATION INFORMATION PURPOSES ONLY *****

TEXACO E&P INC HAS CLEANED OUT AND ACIDIZED THE SUBJECT WELL

6-24-96 - 6-26-96 MIRU, POOH W/ RODS, PUMP & TBG, RIH W/ BAILER & CLEANED OUT TO pbtd 5977', POOH, RIH W/ TBG & PKR, ACIDIZED W/ 2000 GALS 28% HCL & 1000 GALS TDA, POH W/ TBG & PKR, RIH W/ TBG, RODS & PUMP, RDMO, PLACED WELL ON PRODUCTION



14. I hereby certify that the foregoing is true and correct

SIGNATURE [Signature] TITLE Senior Engineer DATE 12/3/97
TYPE OR PRINT NAME Rached Hindi ALLEN DAVIS

(This space for Federal or State office use)

APPROVED

CONDITIONS OF APPROVAL, IF ANY: TITLE DATE

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

WD fax credit 6/98



Chevron U.S.A. Production Company
Mid-Continent Business Unit
P.O. Box 36366
Houston, TX 77236
Phone 713 754 2000

April 9, 2002

Mr. John Baza,
Associate Director of Oil and Gas
Utah Department of Natural Resources
Division of Oil, Gas & Mining
1594 W. North Temple St., Suite 1210
Salt Lake City, UT 84114-5801

RECEIVED

APR 12 2002

DIVISION OF
OIL, GAS AND MINING

Dear Mr. Baza:

As you may recall from our meeting last year, we planned to combine the assets of Chevron U.S.A. Inc. ("CUSA"), by merger, and Texaco Exploration and Production Inc. ("TEPI"), by assignment, into a new entity which we referred to as "Newco LP". Along the way, additional information came to light and it was decided that this proposed corporate restructure would not be preferable. Therefore, CUSA and TEPI have continued to operate as separate entities.

We are now planning a simpler restructuring process where TEPI will assign most of its assets/operatorship to CUSA effective May 1, 2002. We plan to use the existing CUSA bonds/letters of credit, operator identification numbers, etc., for the TEPI assets that will be assigned.

A task force of Land, Regulatory and Environmental Compliance personnel are finishing the work that was begun last year to assign TEPI's assets—using the same forms and procedures as before. We have "new faces" in this task force due to reassignments and departures. In some cases, it may be worthwhile to visit you and your staff in person where new people are involved or if we need to review/clarify your forms and procedures. Otherwise, we will endeavor to complete the work to assign TEPI's assets/operatorship to CUSA and deliver the requisite materials to you in a timely manner.

During discussions last year, our focus was on Land, Regulatory and Environmental matters. The Finance organization also desires to join in this effort. For State Tax, Royalty and Regulatory reporting purposes (applicable to production from May 2002 through December 2002), we intend to generate two reports and two payments.

However, the reporting company name and identification number will be CUSA's. Beginning with January 2003 production and thereafter, we will issue only one CUSA report and payment. We trust this plan meets with your approval. Any questions or comments should be directed to Rick Dunlavy (telephone 713/752-7411, rickdunlavy@chevrontexaco.com).

We appreciate the cooperation and guidance you provided us in the past, and we look forward to bringing these efforts to a conclusion.

Respectfully submitted,

A handwritten signature in cursive script, appearing to read "Don R. Sellars".

Don R. Sellars

Sr. Environmental Specialist

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER Operator Name Change

2. NAME OF OPERATOR:
Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR:
P.O. Box 1150 CITY Midland STATE TX ZIP 79702

PHONE NUMBER:
(915) 687-2000

4. LOCATION OF WELL

FOOTAGES AT SURFACE: See Attached List of Well Locations

COUNTY: San Juan

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE: UTAH

5. LEASE DESIGNATION AND SERIAL NUMBER:
See Attached List of Wells

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Navajo Nation & State of Utah

7. UNIT or CA AGREEMENT NAME:
Aneth Unit

8. WELL NAME and NUMBER:
See Attached List of Wells

9. API NUMBER:

10. FIELD AND POOL, OR WILDCAT:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: <u>Operator Name Change (Merger)</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective May 1, 2002, Chevron U.S.A. Inc. is the new operator of the attached list of subject wells and leases that were previously operated by Texaco Exploration and Production Inc. The Aneth Unit and subject wells are located on both Navajo Nation and State of Utah lands, 4 1/2 miles North of Montezuma Creek, San Juan County, Utah. These wells will be protected by the following surety bonds.

STATE OF UTAH Bond #: 103521627-0016 in the amount of \$80,000. (This replaces United Pacific Insurance Company bond number U89-75-80-0059. We respectfully request this bond be released and returned.)

BLM Nationwide Bond #: U89-75-81-0034 in the amount of \$300,000.

BIA Nationwide Bond #: U89-75-81-0026 in the amount of \$150,000.

KEY CONTACTS:

Roger Atcitty - Operations Supervisor - 435-651-3277 x103
Ron Wackowski - Operations Manager - 970-675-3714

RECEIVED

MAY 06 2002

DIVISION OF
OIL, GAS AND MINING

NAME (PLEASE PRINT) Allen S. Robinson

TITLE Attorney-In-Fact

SIGNATURE Allen S. Robinson

DATE April 30, 2002

(This space for State use only)

**THE
NAVAJO
NATION****MINERALS DEPARTMENT**

Post Office Box 1910

Window Rock, Arizona 86515

Phone: (928) 871-6587 • Fax: (928) 871-7095

KELSEY A. BEGAYE
PRESIDENT**TAYLOR MCKENZIE, M.D.**
VICE PRESIDENT

October 11, 2002

Mr. Don Sellars
Regulatory Specialist
ChevronTexaco
11111 S. Wilcrest
Houston, Texas 77099

Subject: Navajo Nation Assignment of Oil & Gas Lease

Dear Mr. Sellars:

Attached are fourteen (14) approved Navajo Nation Assignment of Oil and Gas Lease applications for assignment of interest from Texaco Exploration & Production, Inc. to Chevron U.S.A., Inc. (Chevron) for the following leases:

- | | | |
|---------------------|---------------------|----------------------|
| 1) I-149-IND-8834 | 6) I-149-IND-8839 | 11) 14-20-603-4035 |
| 2) I-149-IND-8835 | 7) 14-20-603-2057 | 12) 14-20-603-4037 |
| 3) I-149-IND-8836 | 8) 14-20-603-2059 | 13) 14-20-603-5043-A |
| 4) I-149-IND-8838 | 9) 14-20-603-4030-A | 14) 14-20-603-5446 |
| 5) I-149-IND-8839-A | 10) 14-20-603-4032 | |

If you have any questions, please call me or Mr. Brad Nesemeier at (928) 871-6587.

Sincerely,

Akhtar Zaman, Director
Minerals Department

Attachments
AZ/GLB/cab

Chevron U. S. A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name/Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U. S. A. Inc.
Aneth Unit Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	11	400S	230E	4303716037	MESA 2 (ANTH D311)	1	OW	S
N5700	12	400S	230E	4303715822	BURTON 14-12 (A412)	1	OW	P
N5700	12	400S	230E	4303715829	BURTON 34-12 (C412)	1	OW	P
N5700	12	400S	230E	4303715831	BURTON 43-12 (D312)	1	OW	P
N5700	12	400S	230E	4303731537	ANETH B412	1	OW	S
N5700	13	400S	230E	4303715821	BURTON 12-13 (A213)	1	OW	P
N5700	13	400S	230E	4303715823	BURTON 14-13 (A413)	1	OW	P
N5700	13	400S	230E	4303715824	BURTON 21-13 (B113)	1	OW	P
N5700	13	400S	230E	4303715826	ANETH UNIT B313	1	OW	P
N5700	13	400S	230E	4303730162	ANETH U D313	1	OW	S
N5700	13	400S	230E	4303730173	ANETH U C213	1	OW	P
N5700	13	400S	230E	4303730298	ANETH U C413	1	OW	S
N5700	13	400S	230E	4303731076	ANETH UNIT C313SE	1	OW	S
N5700	13	400S	230E	4303731383	ANETH UNIT D213SE	1	OW	P
N5700	14	400S	230E	4303716030	ARROWHEAD 7 (A214)	1	OW	P
N5700	14	400S	230E	4303716031	ARROWHEAD 8 (A414)	1	OW	S
N5700	14	400S	230E	4303730634	ANETH U A114	1	OW	S
N5700	14	400S	230E	4303730635	ANETH U B214	1	OW	P
N5700	14	400S	230E	4303730636	ANETH U C114	1	OW	S
N5700	14	400S	230E	4303730637	ANETH U C314	1	OW	P
N5700	14	400S	230E	4303730638	ANETH U D214	1	OW	P
N5700	14	400S	230E	4303730639	ANETH U D414	1	OW	S
N5700	18	400S	240E	4303730165	ANETH U E418	1	OW	S
N5700	18	400S	240E	4303731077	ANETH UNIT E118SE	1	OW	S
N5700	18	400S	240E	4303731385	ANETH UNIT E218SE	1	OW	P

N5700	18	400S	240E	4303731534	ANETH E407SE	1	OW	S
N5700	23	400S	230E	4303716036	AW RICE 1 (D123)	1	OW	P
N5700	24	400S	230E	4303715701	FED B-1 (D124)	1	OW	S
N5700	07	400S	240E	4303730115	ANETH U F307	1	OW	P
N5700	07	400S	240E	4303730151	ANETH U G407	1	OW	P
N5700	07	400S	240E	4303731386	ANETH UNIT E407SW	1	OW	P

3. FILE

Designation of Agent

X Merger

Account No.	N0210
-------------	-------

Unit: ANETH

[illegible]

4. Is the new operator registered in the State of Utah: YES Business Number: 564408-0143

5. If **NO**, the operator was contacted on: N/A

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 10/11/2002

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 10/11/2002

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 10/21/2002

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 11/14/2002

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 11/14/2002

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: N/A

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 8975810026

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: N/A

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A

2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS: Chevron USA Inc merged with Texaco Exploration & Production Inc to form ChevronTexaco Inc although all the Utah operations will be operated by Chevron USA Inc.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Injection wells</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <u>See Attachment</u>
2. NAME OF OPERATOR: <u>Resolute Natural Resources Company</u> <u>N2700</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <u>Navajo</u>
3. ADDRESS OF OPERATOR: <u>1675 Broadway, Suite 1950</u> CITY <u>Denver</u> STATE <u>CO</u> ZIP <u>80202</u> PHONE NUMBER: <u>(303) 534-4600</u>		7. UNIT or CA AGREEMENT NAME: <u>Aneth Unit</u>
4. LOCATION OF WELL FOOTAGES AT SURFACE: <u>See Attachment</u>		8. WELL NAME and NUMBER: <u>See Attachment</u>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____		9. API NUMBER: <u>See Attach</u>
COUNTY: <u>San Juan</u>		10. FIELD AND POOL, OR WILDCAT: <u>Desert Creek</u>
STATE: <u>UTAH</u>		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of Operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as Operator of the Aneth Unit. The successor operator is Resolute Natural Resources Company.

NAME (PLEASE PRINT) <u>Jane Pasque</u>	TITLE <u>Vice President</u>
SIGNATURE <u>Jane Pasque</u>	DATE <u>11/30/04</u>

(This space for State use only)

APPROVED 12/29/2004
ER
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

FORM 9

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

Chevron USA to Resolute Natural Resources

D124	4303715701	SI Producer	NE	NE	24	T40S	R23E	520' FNL / 660' FEL	SL-0701010-C	See Attached SI and TA Well Status Spreadsheet
A213	4303715821	Producer	SW	NW	13	T40S	R23E	3287' FSL / 4631' FEL	SL-070968-A	
A412	4303715822	SI Producer	SW	SW	12	T40S	R23E	659' FSL / 4474' FEL	SL-070968-A	See Attached SI and TA Well Status Spreadsheet
A413	4303715823	Producer	SW	SW	13	T40S	R23E	657' FSL / 4631' FEL	SL-070968-A	
B113	4303715824	Producer	NE	NW	13	T40S	R23E	4602' FSL / 3311' FEL	SL-070968-A	
B313	4303715826	Producer	NE	SW	13	T40S	R23E	1972' FSL / 3302' FEL	SL-070968-A	
C412	4303715829	Producer	SW	SE	12	T40S	R23E	4606' FNL / 1980' FEL	SL-070968-A	
D312	4303715831	Producer	NE	SE	12	T40S	R23E	3290' FNL / 660' FEL	SL-070968-A	
E216	4303715833	Producer	SW	NW	16	T40S	R24E	2128' FNL / 662' FWL	NOG 99041323	
E416	4303715834	Producer	SW	SW	16	T40S	R24E	442' FSL / 721' FWL	NOG 99041323	
G216	4303715835	Producer	SW	NE	16	T40S	R24E	1975' FNL / 3304' FWL	NOG 99041323	
G416	4303715836	Producer	SW	SE	16	T40S	R24E	660' FSL / 1980' FEL	NOG 99041323	
H316	4303715837	Producer	NE	SE	16	T40S	R24E	1980' FSL / 662' FEL	NOG 99041323	
A214	4303716030	TA Producer	SW	NW	14	T40S	R23E	1980' FNL / 740' FWL	SL-070968	See Attached SI and TA Well Status Spreadsheet
A414	4303716031	SI Producer	SW	SW	14	40S	23E	820' FSL / 740' FWL	UTSL 070968	
D123	4303716036	Producer	NE	NE	23	T40S	R23E	660' FNL / 660' FEL	SL-0701010	
D311	4303716037	SI Producer	NE	SE	11	40S	23E	1980' FSL / 660' FEL	UTSL 070968B	
E123	4303716052	Producer	NW	NW	23	T40S	R24E	660' FNL / 660' FWL	I-149-IND-8838	
E135	4303716056	SI Producer	NW	NW	35	T40S	R24E	760' FNL / 703' FWL	14-20-603-2059	See Attached SI and TA Well Status Spreadsheet
E209	4303716057	Producer	SW	NW	9	T40S	R24E	2105' FNL / 670' FWL	I-149-IND-8834	
E215	4303716058	Producer	SW	NW	15	T40S	R24E	2109' FNL / 505' FWL	I-149-IND-8834	
E222	4303716059	Producer	SW	NW	22	T40S	R24E	1960' FNL / 770' FWL	I-149-IND-8836	
E335	4303716072	SI Producer	NW	SW	35	T40S	R24E	1900' FSL / 820' FWL	14-20-603-2059	See Attached SI and TA Well Status Spreadsheet
E415	4303716073	Producer	SW	SW	15	T40S	R24E	660' FSL / 660' FWL	I-149-IND-8834	
F122	4303716075	Producer	NE	NW	22	T40S	R24E	660' FNL / 1980' FWL	I-149-IND-8836	
F319	4303716081	Producer	NE	SW	19	T40S	R24E	1940' FSL / 2055' FWL	I-149-IND-8836	
G115	4303716088	Producer	NW	NE	15	T40S	R24E	660' FNL / 1980' FEL	I-149-IND-8834	
G222	4303716099	Producer	SW	NE	22	T40S	R24E	1890' FNL / 2140' FEL	I-149-IND-8836	
G309	4303716102	Producer	NW	SE	9	T40S	R24E	2080' FSL / 1990' FEL	I-149-IND-8834	
G329	4303716114	Producer	NW	SE	29	T40S	R24E	2045' FSL / 2125' FEL	14-20-603-5043	
G335	4303716115	Producer	NW	SE	35	T40S	R24E	1830' FSL / 1820' FEL	14-20-603-2059	
H415	4303716126	Producer	SE	SE	15	T40S	R24E	815' FSL / 812' FEL	I-149-IND-8834	
H435	4303716130	Producer	SE	SE	35	T40S	R24E	510' FSL / 725' FEL	14-20-603-2059	
L130	4303716138	Producer	NW	NE	30	T40S	R25E	745' FNL / 1900' FEL	I-149-IND-8839	
G134	4303716225	Producer	NW	NE	34	T40S	R24E	540' FNL / 2000' FEL	14-20-603-2056	s
G327	4303716226	Producer	NW	SE	27	T40S	R24E	2075' FSL / 1800' FEL	14-20-603-2056	
G334	4303716227	SI Producer	NW	SE	34	T40S	R24E	1980' FSL / 2130' FEL	14-20-603-2056	See Attached SI and TA Well Status Spreadsheet
H433	4303716229	SI Producer	SE	SE	33	T40S	R24E	745' FSL / 605' FEL	14-20-603-2056	See Attached SI and TA Well Status Spreadsheet
H434	4303716230	SI Producer	SE	SE	34	T40S	R24E	700' FSL / 500' FEL	14-20-603-2056	See Attached SI and TA Well Status Spreadsheet
H114	4303716310	Producer	NE	NE	14	T40S	R24E	730' FNL / 690' FEL	I-149-IND-8839	
H409	4303716324	Producer	SE	SE	9	T40S	R24E	660' FSL / 660' FEL	I-149-IND-8834	
G215	4303730066	SI Producer	SW	NE	15	T40S	R24E	2415' FNL / 1850' FEL	I-149-IND-8834	See Attached SI and TA Well Status Spreadsheet
E114	4303730093	Producer	NW	NW	14	T40S	R24E	500' FNL / 100' FWL	I-149-IND-8837	
F307	4303730115	SI Producer	NE	SW	7	T40S	R24E	2290' FSL / 1860' FWL	SL-067807	See Attached SI and TA Well Status Spreadsheet
F121	4303730117	Producer	NE	NW	21	T40S	R24E	50' FNL / 2150' FWL	I-149-IND-8836	
H307	4303730122	TA Producer	NE	SE	7	T40S	R24E	2120' FSL / 980' FEL	I-149-IND-8835	See Attached SI and TA Well Status Spreadsheet

Chevron USA to Resolute Natural Resources

H414	4303730123	Producer	SE	SE	14	40S	24E	300' FSL / 500' FEL	I-149-IND-8839	
G218	4303730131	Producer	SW	NE	18	T40S	R24E	1870' FNL / 2050' FEL	I-149-IND-8835	
G418	4303730132	Producer	SW	SE	18	T40S	R24E	760' FSL / 1950' FEL	I-149-IND-8835	
H119	4303730133	Producer	NE	NE	19	T40S	R24E	695' FNL / 570' FEL	I-149-IND-8836	
E417	4303730134	Producer	SW	SW	17	T40S	R24E	710' FSL / 630' FWL	I-149-IND-8835	
F120	4303730135	Producer	NE	NW	20	T40S	R24E	710' FNL / 1980' FWL	I-149-IND-8836	
H318	4303730136	Producer	NE	SE	18	T40S	R24E	1980' FSL / 610' FEL	I-149-IND-8835	
F317	4303730139	Producer	NE	SW	17	T40S	R24E	1980' FSL / 2140' FWL	I-149-IND-8835	
E217	4303730142	Producer	SW	NW	17	T40S	R24E	1980' FNL / 550' FWL	I-149-IND-8835	
G417	4303730144	Producer	SW	SE	17	T40S	R24E	660' FSL / 1980' FEL	I-149-IND-8835	
E220	4303730150	Producer	SW	NW	20	T40S	R24E	1956' FNL / 584' FWL	I-149-IND-8836	
G407	4303730151	Producer	SW	SE	7	T40S	R24E	650' FSL / 1960' FEL	SL-067807	
G408	4303730152	Producer	SW	SE	8	T40S	R24E	774' FSL / 1991' FEL	I-149-IND-8834	
H117	4303730153	Producer	NE	NE	17	T40S	R24E	866' FNL / 785' FEL	I-149-IND-8833	
H320	4303730154	Producer	NE	SE	20	T40S	R24E	2036 FSL / 650' FEL	I-149-IND-8836	
G220	4303730156	Producer	SW	NE	20	T40S	R24E	1860' FNL / 2086' FEL	I-149-IND-8833	
H118	4303730157	Producer	NE	NE	18	T40S	R24E	626' FNL / 650' FEL	I-149-IND-8835	
E408	4303730159	TA Producer	SW	SW	8	T40S	R24E	650' FSL / 626' FWL	I-149-IND-8833	See Attached SI and TA Well Status Spreadsheet
F117	4303730160	SI Producer	NE	NW	17	T40S	R24E	522' FNL / 1956' FWL	I-149-IND-8835	See Attached SI and TA Well Status Spreadsheet
D313	4303730162	TA Producer	NE	SE	13	T40S	R23E	1987' FSL / 782' FEL	SL-070968-A	See Attached SI and TA Well Status Spreadsheet
F320	4303730164	Producer	NE	SW	20	T40S	R24E	2130' FSL / 1950' FWL	I-149-IND-8836	
E418	4303730165	Producer	SW	SW	18	T40S	R24E	978' FSL / 216' FWL	SL-067807	
G217	4303730166	TA Producer	SW	NE	17	T40S	R24E	2170' FNL / 1860' FEL	I-149-IND-8835	See Attached SI and TA Well Status Spreadsheet
G219	4303730167	Producer	SW	NE	19	T40S	R24E	1989' FNL / 1923' FEL	I-149-IND-8836	
H319	4303730168	Producer	NE	SE	19	T40S	R24E	2086' FSL / 593' FEL	I-149-IND-8836	
F318	4303730169	Producer	NE	SW	18	T40S	R24E	1578' FSL / 1773' FWL	I-149-IND-8835	
C213	4303730173	Producer	SW	NE	13	T40S	R23E	1898' FNL / 1815' FEL	SL-070968-A	
F308	4303730176	Producer	NE	SW	8	T40S	R24E	1880' FSL / 1980' FWL	I-149-IND-8833	
H308	4303730177	TA Producer	NE	SE	8	T40S	R24E	1890' FSL / 660' FEL	I-149-IND-8834	See Attached SI and TA Well Status Spreadsheet
G208	4303730178	TA Producer	SW	NE	8	T40S	R24E	1939' FNL / 1939' FEL	I-149-IND-8833	See Attached SI and TA Well Status Spreadsheet
E221	4303730181	Producer	SW	NW	21	T40S	R24E	1898' FNL / 619' FWL	I-149-IND-8836	
H121	4303730183	Producer	NE	NE	21	T40S	R24E	520' FNL / 760' FEL	I-149-IND-8836	
F321	4303730185	Producer	NE	SW	21	T40S	R24E	1980' FSL / 1720' FWL	I-149-IND-8836	
F129	4303730187	Producer	NE	NW	29	T40S	R24E	550' FNL / 1690'FWL	14-20-603-4030-A	
E421	4303730188	Producer	SW	SW	21	T40S	R24E	660' FSL / 660' FWL	I-149-IND-8836	
E409	4303730189	Producer	SW	SW	9	T40S	R24E	910' FSL / 330' FWL	I-149-IND-8834	
H317	4303730196	Producer	NE	SE	17	T40S	R24E	2230' FSL / 930' FEL	I-149-IND-8833	
F119	4303730197	TA Producer	NE	NW	19	T40S	R24E	350' FNL / 1960' FWL	I-149-IND-8836	See Attached SI and TA Well Status Spreadsheet
E313	4303730200	Producer	NW	SW	13	T40S	R24E	1815' FSL / 785' FWL	I-149-IND-8837	
F216	4303730212	TA Producer	SE	NW	16	T40S	R24E	1848 FNL / 2043' FWL	NOG 99041323	See Attached SI and TA Well Status Spreadsheet
G421	4303730214	Producer	SW	SE	21	T40S	R24E	380' FSL / 1980' FEL	I-149-IND-8836	
H321	4303730216	Producer	NE	SE	21	T40S	R24E	2043' FSL / 591' FEL	I-149-IND-8836	
F411	4303730217	Producer	SE	SW	11	T40S	R24E	561' FSL / 1798' FWL	I-149-IND-8837	
G114	4303730218	Producer	NW	NE	14	T40S	R24E	660' FNL / 2220' FEL	I-149-IND-8837	
E223	4303730219	Producer	SW	NW	23	T40S	R24E	2106' FNL / 660' FWL	I-149-IND-8838	
E426	4303730220	Producer	SW	SW	26	T40S	R24E	660' FSL / 660' FWL	I-149-IND-8838	

Chevron USA to Resolute Natural Resources

F125	4303730221	Producer	NE	NW	25	T40S	R24E	627' FNL / 1980' FWL	I-149-IND-8838	
G225	4303730222	Producer	SW	NE	25	T40S	R24E	1760' FNL / 2170' FEL	I-149-IND-8838	
H123	4303730223	Producer	NE	NE	23	T40S	R24E	660' FNL / 660' FEL	I-149-IND-8838	
K330	4303730224	Producer	NE	SW	30	T40S	R25E	2020' FSL / 2010' FWL	I-149-IND-8839	
M330	4303730225	Producer	NE	SE	30	T40S	R25E	2046' FSL / 726' FEL	I-149-IND-8839	
G223	4303730226	Producer	SW	NE	23	T40S	R24E	2012' FNL / 1914' FEL	I-149-IND-8838	
H136	4303730227	Producer	NE	NE	36	T40S	R24E	660' FNL / 620' FEL	14-20-603-5443	
G420	4303730228	Producer	SW	SE	20	T40S	R24E	770' FSL / 1900' FEL	I-149-IND-8836	
G314	4303730230	Producer	NW	SE	14	T40S	R24E	1940' FSL / 2020' FEL	I-149-IND-8837	
E224	4303730231	Producer	SW	NW	24	T40S	R24E	1850' FNL / 660' FWL	I-149-IND-8838	
F326	4303730232	Producer	NE	SW	26	T40S	R24E	1914' FSL / 1914' FWL	I-149-IND-8838	
E225	4303730233	SI Producer	SW	NW	25	T40S	R24E	2079' FNL / 790' FWL	I-149-IND-8838	See Attached SI and TA Well Status Spreadsheet
F323	4303730234	Producer	NE	SW	23	T40S	R24E	1914' FSL / 1980' FWL	I-149-IND-8838	
G426	4303730236	Producer	SW	SE	26	T40S	R24E	610' FSL / 1980' FEL	I-149-IND-8838	
F325	4303730237	Producer	NE	SW	25	T40S	R24E	1850' FSL / 1840' FWL	I-149-IND-8838	
G425	4303730238	Producer	SW	SE	25	T40S	R24E	480' FSL / 1840' FEL	I-149-IND-8838	
H325	4303730239	Producer	NE	SE	25	T40S	R24E	1914' FSL / 660' FEL	I-149-IND-8838	
J230	4303730240	Producer	SW	NW	30	T40S	R25E	1980' FNL / 660' FWL	I-149-IND-8839 A	
L230	4303730241	Producer	SW	NE	30	T40S	R25E	1930' FNL / 1898' FEL	I-149-IND-8839	
J430	4303730243	Producer	SW	SW	30	T40S	R25E	660' FSL / 660' FWL	I-149-IND-8839	
F214	4303730250	Producer	SE	NW	14	T40S	R24E	2030' FNL / 1881' FWL	I-149-IND-8837	
E314	4303730266	Producer	NW	SW	14	T40S	R24E	1930' FSL / 660' FWL	I-149-IND-8837	
F414	4303730274	Producer	SE	SW	14	T40S	R24E	593' FSL / 1771' FWL	I-149-IND-8837	
C413	4303730298	TA Producer	SW	SE	13	T40S	R23E	810' FSL / 1980' FEL	SL-070968-A	See Attached SI and TA Well Status Spreadsheet
H125	4303730308	Producer	NE	NE	25	T40S	R24E	660' FNL / 560' FEL	I-149-IND-8838	
F126	4303730310	Producer	NE	NW	26	T40S	R24E	560' FNL / 1940' FWL	I-149-IND-8838	
G423	4303730311	Producer	SW	SE	23	T40S	R24E	660' FSL / 1980' FEL	I-149-IND-8838	
H323	4303730316	Producer	NE	SE	23	T40S	R24E	1845' FSL / 507' FEL	I-149-IND-8838	
G424	4303730334	TA Producer	SW	SE	24	T40S	R24E	660' FSL / 1980' FEL	I-149-IND-8838	See Attached SI and TA Well Status Spreadsheet
E425	4303730343	Producer	SW	SW	25	T40S	R24E	760' FSL / 840' FWL	I-149-IND-8838	
F322	4303730345	Producer	NE	SW	22	T40S	R24E	2130' FSL / 1980' FWL	I-149-IND-8836	
E422	4303730346	Producer	SW	SW	22	T40S	R24E	890' FSL / 600' FWL	I-149-IND-8836	
H126	4303730348	Producer	NE	NE	26	T40S	R24E	660' FNL / 830' FEL	I-149-IND-8838	
F324	4303730349	SI Producer	NE	SW	24	T40S	R24E	1980' FSL / 2080' FWL	I-149-IND-8838	See Attached SI and TA Well Status Spreadsheet
E424	4303730350	TA Producer	SW	SW	24	T40S	R24E	540' FSL / 450' FWL	I-149-IND-8838	See Attached SI and TA Well Status Spreadsheet
H326	4303730368	Producer	NE	SE	26	T40S	R24E	1850' FSL / 520' FEL	I-149-IND-8838	
G226	4303730369	Producer	SW	NE	26	T40S	R24E	2080' FNL / 1950' FEL	I-149-IND-8838	
E423	4303730370	Producer	SW	SW	23	T40S	R24E	550' FSL / 580' FWL	I-149-IND-8838	
E226	4303730371	Producer	SW	NW	26	T40S	R24E	1980' FNL 660' FWL		
G325X	4303730374	Producer	NW	SE	25	T40S	R24E	1850' FSL / 1710' FEL	I-149-IND-8838	
G422	4303730375	Producer	SW	SE	22	T40S	R24E	500' FSL / 1950' FEL	I-149-IND-8836	
H120X	4303730404	Producer	NE	NE	20	T40S	R24E	280' FNL / 840' FEL	I-149-IND-8833	
H322	4303730407	Producer	NE	SE	22	T40S	R24E	2070' FSL / 770' FEL	I-149-IND-8836	
F136	4303730409	Producer	NE	NW	36	T40S	R24E	760' FNL / 2020' FWL	14-20-603-5444	
G236	4303730410	Producer	SW	NE	36	T40S	R24E	1950' FNL / 1980' FEL	14-20-603-5443	
H335	4303730412	Producer	NE	SE	35	T40S	R24E	1980' FSL / 700' FEL	14-20-603-2059	

Chevron USA to Resolute Natural Resources

J231	4303730413	SI Producer	SW	NW	31	T40S	R25E	1850' FNL / 660' FWL	14-20-603-5443	See Attached SI and TA Well Status Spreadsheet
G221X	4303730516	Producer	SW	NE	21	T40S	R24E	1940' FNL / 1930' FEL	I-149-IND-8836	
A114	4303730634	SI Producer	NW	NW	14	40S	23E	735' FNL / 718' FWL	UTSL 070968	
B214	4303730635	Producer	SE	NW	14	T40S	R23E	1910' FNL / 1950' FWL	SL-070968	
C114	4303730636	SI Producer	NW	NE	14	T40S	R23E	820' FNL / 1920' FEL	SL-070968	See Attached SI and TA Well Status Spreadsheet
C314	4303730637	Producer	NW	SE	14	T40S	R23E	2140' FSL / 1870' FEL	SL-070968	
D214	4303730638	Producer	SE	NE	14	T40S	R23E	2090' FNL / 790' FEL	SL-070968	
D414	4303730639	Producer	SE	SE	14	T40S	R23E	570' FSL / 810' FEL	SL-070968	
H127	4303730643	Producer	NE	NE	27	T40S	R24E	660' FNL / 510' FEL	14-20-603-2056	
H128	4303716224	Injector	NE	NE	28	40S	24E	810' FNL / 510' FEL	14-20-603-2056	
J229	4303730645	SI Producer	SW	NW	29	40S	25E	1980' FNL / 510' FWL	I-149-IND-8839A	
K130	4303730646	Producer	NE	NW	30	T40S	R25E	660' FNL / 2010' FWL	I-149-IND-8839	
K131	4303730647	Producer	NE	NW	31	T40S	R25E	660' FNL / 1980' FWL	14-20-603-372-A	
L430	4303730648	Producer	SW	SE	30	T40S	R25E	660' FSL / 1980' FEL	I-149-IND-8839	
M130	4303730649	Producer	NE	NE	30	T40S	R25E	510' FNL / 780' FEL	I-149-IND-8839	
E236	4303730716	Producer	SW	NW	36	T40S	R24E	1930' FNL / 630' FWL	14-20-603-5444	
F127	4303730718	Producer	NE	NW	27	T40S	R24E	620' FNL / 1910' FWL	14-20-603-2056	
F128	4303730728	Producer	NE	NW	28	T40S	R24E	660' FNL / 1910' FWL	14-20-603-2056	
C313SE	4303731076	SI Producer	C	SE	13	40S	23E	1320' FSL / 1320' FEL	UTSL 070968A	
E118SE	4303731077	TA Producer	SW	NW	18	T40S	R24E	1340' FNL / 1140' FWL	SL-067807	See Attached SI and TA Well Status Spreadsheet
E121SE	4303731078	SI Producer	SW	NW	21	T40S	R24E	1400' FNL / 1320' FWL	I-149-IND-8836	See Attached SI and TA Well Status Spreadsheet
D113SE	4303731382	TA Producer	SE	NE	13	T40S	R23E	1330' FNL / 100' FEL	SL-070968-A	See Attached SI and TA Well Status Spreadsheet
D213SE	4303731383	TA Producer	NE	SE	13	T40S	R23E	2700' FNL / 150' FEL	SL-070968-A	See Attached SI and TA Well Status Spreadsheet
E218SE	4303731385	TA Producer	NW	SW	18	T40S	R24E	2660' FNL / 1220' FWL	SL-067807	See Attached SI and TA Well Status Spreadsheet
E407SW	4303731386	TA Producer	SW	SW	7	T40S	R24E	0' FSL / 70' FWL	SL-067807	See Attached SI and TA Well Status Spreadsheet
E115	4303731396	Producer	NW	NW	15	T40S	R24E	630' FNL / 660' FWL	I-149-IND-8834	
F215	4303731397	Producer	SE	NW	15	T40S	R24E	1900' FNL / 1990' FWL	I-149-IND-8834	
F415	4303731398	Producer	SE	SW	15	T40S	R24E	680' FSL / 1880' FWL	I-149-IND-8834	
G315X	4303731408	Producer	NW	SE	15	T40S	R24E	1880' FSL / 1980' FEL	I-149-IND-8834	
H116	4303731409	TA Producer	NE	NE	16	T40S	R24E	660' FNL / 900' FEL	NOG 99041323	
H129	4303731529	Producer	NE	NE	29	T40S	R24E	730' FNL / 730' FEL	14-20-603-4030	
H135	4303731531	Producer	NE	NE	35	T40S	R24E	503' FNL / 813' FEL	14-20-603-2059	
E407SE	4303731534	Producer	NE	NW	18	40S	24E	199' FNL / 1602' FWL	UTSL 067807	
B412	4303731537	TA Producer	SE	SW	12	T40S	R23E	901' FSL / 1600' FWL	SL-070968-A	
F214SE	4303731684	Producer	SE	NW	14	T40S	R24E	2580' FNL / 2350' FWL	I-149-IND-8837	

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH

2. CDW

3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

DATE OF CHANGE

12/1/2004

FROM: (Old Operator):

N0210-Chevron USA, Inc.
PO Box 4791
Houston, TX 77210-4791
Phone: 1-(713) 752-7431

TO: (New Operator):

N2700-Resolute Natural Resources Company
1675 Broadway, Suite 1950
Denver, CO 80202
Phone: 1-(303) 534-4600

CA No.

Unit:

ANETH

WELL(S)

NAME	SEC TWN RNG			API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
ANETH B412	12	400S	230E	4303731537	7000	Federal	OW	S
ANETH UNIT C313SE	13	400S	230E	4303731076	7000	Federal	OW	S
ANETH UNIT D213SE	13	400S	230E	4303731383	7000	Federal	OW	S
ANETH U D214	14	400S	230E	4303730638	7000	Federal	OW	P
ANETH U D414	14	400S	230E	4303730639	7000	Federal	OW	P
ANETH UNIT E407SW	07	400S	240E	4303731386	7000	Federal	OW	S
NAV TRB E-18 (E209)	09	400S	240E	4303716057	7000	Indian	OW	P
NAV TRB E-3 (G309)	09	400S	240E	4303716102	7000	Indian	OW	P
NAV TRB E-2 (E215)	15	400S	240E	4303716058	7000	Indian	OW	P
NAV TRB E-6 (E415)	15	400S	240E	4303716073	7000	Indian	OW	P
NAVAJO TRIBAL E-9 (ANETH G115)	15	400S	240E	4303716088	7000	Indian	OW	P
ANETH UNIT E118SE	18	400S	240E	4303731077	7000	Federal	OW	S
ANETH UNIT E218SE	18	400S	240E	4303731385	7000	Federal	OW	S
ANETH E407SE	18	400S	240E	4303731534	7000	Federal	OW	S
NAV TRB D-29(F319)	19	400S	240E	4303716081	7000	Indian	OW	P
NAV TRB D-9 (E222)	22	400S	240E	4303716059	7000	Indian	OW	P
NAV TRB D-11 (F122)	22	400S	240E	4303716075	7000	Indian	OW	P
NAV TRB D-1 (G222)	22	400S	240E	4303716099	7000	Indian	OW	P
NAV TRB C-2 (E123)	23	400S	240E	4303716052	7000	Indian	OW	P
NAV TRB AB-1 (G329)	29	400S	240E	4303716114	7000	Indian	OW	P
NAVAJO TRIBE Q-3 (E135)	35	400S	240E	4303716056	7000	Indian	OW	S
NAVAJO TRIBE Q-2 (E335)	35	400S	240E	4303716072	7000	Indian	OW	S

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/22/2004
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 12/13/2004

3. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 11/22/2004

4. Is the new operator registered in the State of Utah: YES Business Number: 5733505-0143

5. If **NO**, the operator was contacted on:

6a. (R649-9-2) Waste Management Plan has been received on: _____ requested

6b. Inspections of LA PA state/fee well sites complete on: 12/20/2004

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA not yet

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: not yet

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 12/29/2004
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 12/29/2004
3. Bond information entered in RBDMS on: n/a
4. Fee/State wells attached to bond in RBDMS on: n/a
5. Injection Projects to new operator in RBDMS on: separate list
6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: B001263

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: B001264

FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number B001262
2. The **FORMER** operator has requested a release of liability from their bond on: not yet
The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

COMMENTS: